



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

52

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/015,502	12/11/2001	Kerry Champion	STELP002	6525
22434	7590	03/28/2005	EXAMINER	
BEYER WEAVER & THOMAS LLP P.O. BOX 70250 OAKLAND, CA 94612-0250			PARTHASARATHY, PRAMILA	
			ART UNIT	PAPER NUMBER
			2136	

DATE MAILED: 03/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/015,502

Applicant(s)

CHAMPION, KERRY

Examiner

Pramila Parthasarathy

Art Unit

2136

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-66 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-66 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 09/25/2003.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. This action is in response to the communication filed on December 12, 2001. No preliminary amendments to the specification were filed. Claims 1 – 7 are currently being considered.

Information Disclosure Statement

2. An initialed copy of the information disclosure statement, filed on September 25, 2003 is attached to this office action.

Claim Objections

3. Claims 13, 53 Atwal are objected to because of the following informalities:

Claim 13 recites "A method as recited in claim 127.....".

Replace "127" with "12".

Claim 53, recites "... wherein the determining (e) can be ...".

Delete "(e)".

Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1 – 3, 5, 15, 23 – 66 are rejected under 35 U.S.C. 102(e) as being anticipated by Atwal et al. (U.S. Publication Number 2003/0061404).
5. Regarding Claims 1 and 23, Atwal teaches and describes receiving a SOAP message (Page 4 paragraph [0052]; determining whether at least one security rule is associated with the SOAP message, the at least one security rule being associated with a security policy for SOAP messages which can be exchanged between at least one client program and at least one server program, and performing at least one operation based on the at least one security rule when the determining determines that at least one security rule is associated with the SOAP message (Page 4 paragraph [0052 – 0055])).
6. Regarding Claims 27, 38, 56 and 65, Atwal teaches and describes

receiving a SOAP message, determining whether at least one rule is associated with the SOAP message (Page 4 paragraph [0052]);

collecting data that may be required to evaluate the at least one rule (Page 4 paragraph [0052 and 0055]);

evaluating the at least one rule at least partially based on the collected data, and determining whether the SOAP message constitutes a service attack based on the evaluating of the at least one rule (Page 5 paragraph [0055] and Page 8 paragraph [0095 – 0096]).

7. Regarding Claims 33 and 66, Atwal teaches and describes

receiving a SOAP message, determining at least one of: (a) a message type for the SOAP message, (b) a sender for the SOAP message, and (c) a recipient for the SOAP message (Page 4 paragraph [0052]),

determining whether at least one rule is associated with at least one of the message type (a) , the sender (b), and the recipient (c) (Page 4 paragraph [0052]),

selecting at least one portion of the data which has been collected for at least one of the message type (a) , the sender (b), and the recipient (c) (Page 4 paragraph [0052]);

evaluating the at least one rule using the selected at least one portion of data (Page 4 paragraph [0052 and 0055]); and

determining whether the SOAP message constitutes a service attack based on the evaluating of the at least one rule (Page 5 paragraph [0055] and Page 8 paragraph [0095 – 0096]).

8. Regarding Claims 39 and 52 , Atwal teaches and describes identifying a SOAP interface for which publication or access is requested (Page 10 paragraph [0109]),

determining whether one or more rules are associated with the SOAP interface, the one or more rules describing one or more policies with respect to publication of or access to the SOAP interface (Page 10 paragraph [0111]),

evaluating the SOAP interface, and determining whether publication of or access to the SOAP interface should be granted based on the evaluating of the SOAP interface (Page 10 paragraph [0111]).

9. Regarding Claim 53 , Atwal teaches and describes

(a) identifying a SOAP interface and a WSDL file for the SOAP interface for which publication or access is requested, wherein the identifying can be performed by a first person by accessing a user interface of a SOAP traffic manager (Page 10 paragraph [0109 and 0111]),

(b) determining whether one or more rules already apply to the SOAP message, the one or more rules describing one or more policies with respect to publication of or access to the SOAP interface; wherein the determining (b) can be performed by the first

person by accessing a user interface to a SOAP traffic manager (Page 10 paragraph [0111]),

(c) requesting approval of one or more additional rules for the SOAP message wherein the requesting can be performed by the first person by accessing a user interface to a SOAP traffic manager (Page 10 paragraph [0111]),

(d) evaluating the SOAP interface or at least one rule associated with the SOAP interface, wherein the evaluating can be performed at least partly by a second person who can access the SOAP traffic manager, and wherein the at least one rule can be a pre-existing rule or an additional rule (Page 10 paragraph [0112]), and

(e) determining whether the SOAP interface or at least one rule associated with the SOAP interface should be approved at least partly based on the evaluating, wherein the determining can be performed at least partly by a second person who can access the SOAP traffic manager (Page 10 paragraph [0111 and 0114]).

10. Claims 2 and 24 are rejected as applied about in rejecting Claims 1 and 23. Furthermore, Atwal teaches and describes wherein the at least one security rule describes a mapping between one or more keys respectively used by the at least one client program and the at least one server program (Page 4 paragraph [0050 and 0053]).

11. Claims 3 and 25 are rejected as applied about in rejecting Claims 1 and 23. Furthermore, Atwal teaches and describes wherein the performing of at least one

operation maps one or more security identifiers which are recognized by the at least one client program to one or more security identifiers which are recognized by the server program (Page 4 paragraph [0052] and Page 8 paragraph [0097]).

12. Claim 5 is rejected as applied about in rejecting Claim 1. Furthermore, Atwal teaches and describes wherein the method further comprises:

determining a message type for the SOAP message, and wherein the determining of whether at least one security rule is associated with the SOAP message comprises: looking up rules which are associated with the message type (Page 4 paragraph [0053] and Page 5 paragraph [0057 and 0059]).

13. Claim 15 is rejected as applied about in rejecting Claim 1. Furthermore, Atwal teaches and describes wherein at least one portion of the SOAP message is in XML (Page 3 paragraph [0048]).

14. Claims 22, 37, 51 and 64 are rejected as applied about in rejecting Claims 1, 27, 39 and 56. Furthermore, Atwal teaches and describes a computer readable medium having computer program instructions stored therein for performing the method of claim 1 (Page 2 paragraph [0017] and Page 14 paragraph [0155]).

15. Claims 28 and 58 are rejected as applied about in rejecting Claims 27 and 56. Furthermore, Atwal teaches and describes wherein the determining of whether at least

one rule is associated with the SOAP message comprises at least one of the acts of:

(a) determining a message type for the SOAP message, (b) determining a sender node for the SOAP message, and (c) determining a recipient node for the SOAP message (Page 10 paragraph [0110 and 0111]).

16. Claims 30 and 34 are rejected as applied about in rejecting Claim 27.

Furthermore, Atwal teaches and describes wherein the method further comprises:

denying service when the determining determines that the SOAP message constitutes a service attack (Page 7 paragraph [0084 and 0085] and Page 12 paragraph [0128]).

17. Claim 35 is rejected as applied about in rejecting Claim 33. Furthermore, Atwal teaches and describes taking remedial action when the determining determines that the SOAP message constitutes a service attack (Page 7 paragraph [0084 and 0085] and Page 12 paragraph [0128]).

18. Claim 40 is rejected as applied about in rejecting Claim 39. Furthermore, Atwal teaches and describes wherein the method further comprises: identifying a WSDL file for the SOAP interface (Page 8 paragraph [0089 and 0091]).

19. Claim 57 is rejected as applied about in rejecting Claim 56. Furthermore, Atwal teaches and describes herein the method further comprises:

determining whether at least a portion of data of the SOAP message should

be considered to evaluate the at least one rule when the determining determines that at least one rule is associated with the SOAP message (Page 8 paragraph [0089 and 0091]).

20. Claim 59 is rejected as applied about in rejecting Claim 56. Furthermore, Atwal teaches and describes wherein the at least one rule specifies at least a portion of the SOAP message which needs to be considered to evaluate the at least one rule (Page 8 paragraph [0089 and 0091]).

21. Claims 61 and 67 are rejected as applied about in rejecting Claims 56 and 66. Furthermore, Atwal teaches and describes wherein the method further comprises: taking one or more actions when the determining of whether an action is required determines that action is required (Page 8 paragraph [0089 and 0091]).

22. Claims 62 and 68 are rejected as applied about in rejecting Claims 56 and 66. Furthermore, Atwal teaches and describes wherein the method further comprises:
taking one or more actions when the determining of whether an action is required determines that action is required, and wherein the one or more actions include holding the SOAP message, archiving the SOAP message, failing SOAP message delivery, sending a notification, and logging special notification (Page 8 paragraph [0089 and 0091] and Page 10 paragraph [0107 and 0111]).

23. Claim 45 is rejected as applied about in rejecting Claim 39. Furthermore, Atwal teaches and describes wherein the evaluating of the SOAP interface is done at least partly based on one or more rules associated with the SOAP interface (Page 6 paragraph [0068 and 0069]).

24. Claim 54 is rejected as applied about in rejecting Claim 39. Furthermore, Atwal teaches and describes wherein the first person is a programmer and the second person is an administrator (Page 7 paragraph [0085]).

25. Claim 55 is rejected as applied about in rejecting Claim 39. Furthermore, Atwal teaches and describes wherein the method further comprises:

modifying the SOAP interface or one or more additional rules for the SOAP interface, wherein the modifying can be performed at least partly by a second person who can access the SOAP traffic manager (Page 7 paragraph [0085] and Page 13 paragraph [0140]).

26. Claim 29 is rejected as applied about in rejecting Claim 27. Furthermore, Atwal teaches and describes wherein the determining of data that may be required to evaluate the at least one rule comprises:

determining which portion of history of at least one of the message type, sender node, and recipient node should be collected (Page 10 paragraph [0109 and 0111]).

27. Claim 41 is rejected as applied about in rejecting Claim 40. Furthermore, Atwal teaches and describes wherein a programmer identifies the SOAP interface and the WSDL file (Page 7 paragraph [0082 and 0111]).

28. Claim 46 is rejected as applied about in rejecting Claim 45. Furthermore, Atwal teaches and describes wherein the evaluating of the SOAP interface is done at least partly by a person (Page 7 paragraph [0085]).

29. Claim 42 is rejected as applied about in rejecting Claim 41. Furthermore, Atwal teaches and describes wherein the programmer interacts with a user interface to identify the SOAP interface and the WSDL file (Page 7 paragraph [0082 and 0111]).

30. Claim 47 is rejected as applied about in rejecting Claim 46. Furthermore, Atwal teaches and describes wherein the person is an administrator (Page 7 paragraph [0085]).

31. Claim 43 is rejected as applied about in rejecting Claim 42. Furthermore, Atwal teaches and describes wherein the programmer interacts with a user interface of a traffic manager to determine whether one or more existing rules are associated with the SOAP interface; and wherein the programmer interacts with a user interface of a traffic manager to request that one or more rules be approved for the SOAP interface (Page 7 paragraph [0082 and 0111]).

32. Claim 44 is rejected as applied about in rejecting Claim 42. Furthermore, Atwal teaches and describes wherein the one or more rules associated with the SOAP interface can be rules associated with at least one of: a message type, a sender, or a recipient of SOAP messages that can be passed through the SOAP interface (Page 5 paragraph [0062]).

33. Claim 48 is rejected as applied about in rejecting Claim 47. Furthermore, Atwal teaches and describes wherein the modifying the SOAP interface (Page 7 paragraph [0085] and Page 13 paragraph [0140]).

34. Claim 49 is rejected as applied about in rejecting Claim 48. Furthermore, Atwal teaches and describes wherein the modifying is performed at least partly by a person (Page 7 paragraph [0085] and Page 13 paragraph [0140]).

35. Claim 50 is rejected as applied about in rejecting Claim 49. Furthermore, Atwal teaches and describes wherein the person is an administrator (Page 7 paragraph [0085]).

36. Claim 31 is rejected as applied about in rejecting Claim 30. Furthermore, Atwal teaches and describes wherein the method further comprises:

taking remedial action when the determining determines that the SOAP

message constitutes a service attack (Page 7 paragraph [0084 and 0085] and Page 12 paragraph [0128]).

37. Claim 32 is rejected as applied about in rejecting Claim 30. Furthermore, Atwal teaches and describes wherein the one or more remedial actions include notifying an administrator, holding the SOAP message, making a log entry, invoking a programming object, and sending an additional SOAP message (Page 8 paragraph [0089 and 0091] and Page 10 paragraph [0107 and 0111]).

38. Claim 60 is rejected as applied about in rejecting Claim 59. Furthermore, Atwal teaches and describes wherein the method further comprises: gathering at least one portion of the SOAP message (Page 3 paragraph [0048]).

39. Claim 63 is rejected as applied about in rejecting Claim 63. Furthermore, Atwal teaches and describes wherein the SOAP message is held for review by a person (Page 10 paragraph 0111).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2136

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

40. Claims 4, 6 – 14, 16 – 21, 26 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Atwal et al. (U.S. Publication Number 2003/0061404, hereafter “Atwal”) in view of Della-Libera et al. (U.S. Publication Number 2003/0074579, hereafter “Della”).

41. Regarding Claim 16, Atwal discloses:

receiving a SOAP message (Atwal Page 4 paragraph [0052]).

determining whether at least one decryption rule is associated with the SOAP message attempting to decrypt the SOAP message using one or more keys associated with the at least one decryption rule when the determining determines that at least one decryption rule is associated with the SOAP message (Atwal Page 4 paragraph [0052] and Page 8 paragraph [0093]). Atwal does not explicitly disclose determining encryption/decryption rule associated with the SOAP message, verifying at least one signature associated with the SOAP message or signing SOAP message using one or more keys associated with the at least one signing rule.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein

determining whether at least one decryption rule is associated with the SOAP

message attempting to decrypt the SOAP message using one or more keys associated with the at least one decryption rule when the determining determines that at least one decryption rule is associated with the SOAP message (Della Page 5 paragraph [0051 - 0053])

determining whether at least one encryption rule is associated with the SOAP message encrypting the SOAP message using one or more keys associated with the at least one decryption rule when the determining determines that at least one encryption rule is associated with the SOAP message (Della Page 5 paragraph [0051 - 0054])

determining whether at least one signature verification rule is associated with the SOAP message, verifying at least one signature associated with the SOAP message per requirements specified by the at least one signature verification rule when the determining determines that at least one signature verification rule is associated with the SOAP message (Della Page 5 paragraph [0051 and 0055])

determining whether at least one signing rule is associated with the SOAP message, and signing the SOAP message using one or more keys associated with the at least one signing rule (Della Page 5 paragraph [0051 - 0053] and Page 6 paragraph [0058 and 0059]).

42. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be

obvious to one of ordinary skill in the art to combine Della with Atwal because security through using encryption, decryption and digital signature security and confidentiality of SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

43. Claims 4 and 26 are rejected as applied about in rejecting Claims 1 and 23. Furthermore, Atwal does not disclose the security identifiers can include one or more encryption keys, one or more decryption keys, one or more signing keys, and one or more keys used to verify one or more signatures.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein the security identifiers can include one or more encryption keys, one or more decryption keys, one or more signing keys, and one or more keys used to verify one or more signatures (Della Page 5 paragraph [0051 - 0054]).

44. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be obvious to one of ordinary skill in the art to combine Della with Atwal because security through using encryption, decryption and digital signature security and confidentiality of

SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

45. Claim 6 is rejected as applied about in rejecting Claim 1. Furthermore, Atwal does not disclose the at least one security rule includes at least one decryption rule, and wherein the performing of the at least one operation comprises: determining whether the SOAP message is encrypted, and decrypting the SOAP message based on one or more decryption keys which are associated with the at least one decryption rule.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein the at least one security rule includes at least one decryption rule, and wherein the performing of the at least one operation comprises: determining whether the SOAP message is encrypted, and decrypting the SOAP message based on one or more decryption keys which are associated with the at least one decryption rule (Della Page 5 paragraph [0051 - 0054]).

46. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be obvious to one of ordinary skill in the art to combine Della with Atwal because security

Art Unit: 2136

through using encryption, decryption and digital signature security and confidentiality of SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

47. Claim 8 is rejected as applied about in rejecting Claim 1. Furthermore, Atwal do not discloses the at least one security rule includes at least one encryption rule, and wherein the performing of at least one operation comprises: encrypting the SOAP message based on one or more encryption keys which are associated with the at least one encryption rule.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein the at least one security rule includes at least one encryption rule, and wherein the performing of at least one operation comprises: encrypting the SOAP message based on one or more encryption keys which are associated with the at least one encryption rule (Della Page 5 paragraph [0051 - 0054]).

48. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be obvious to one of ordinary skill in the art to combine Della with Atwal because security

through using encryption, decryption and digital signature security and confidentiality of SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

49. Claim 12 is rejected as applied about in rejecting Claim 1. Furthermore, Atwal do not discloses the at least one security rule includes at least one signature verification rule, and wherein the performing of at least one operation comprises: verifying at least one signature associated with the SOAP message per requirements specified by the at least one signature verification rule.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein the at least one security rule includes at least one signature verification rule, and wherein the performing of at least one operation comprises: verifying at least one signature associated with the SOAP message per requirements specified by the at least one signature verification rule (Della Page 5 paragraph [0051 - 0054]).

50. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be

obvious to one of ordinary skill in the art to combine Della with Atwal because security through using encryption, decryption and digital signature security and confidentiality of SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

51. Claim 14 is rejected as applied about in rejecting Claim 1. Furthermore, Atwal do not discloses the at least one security rule includes a signing rule; and wherein the performing of at least one operation comprises: signing the SOAP message using one or more keys which are associated with the at least one security rule.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein the at least one security rule includes a signing rule; and wherein the performing of at least one operation comprises: signing the SOAP message using one or more keys which are associated with the at least one security rule (Della Page 5 paragraph [0051 - 0054]).

52. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be obvious to one of ordinary skill in the art to combine Della with Atwal because security

through using encryption, decryption and digital signature security and confidentiality of SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

53. Claim 17 is rejected as applied about in rejecting Claim 16. Furthermore, Atwal discloses a computer readable medium having computer program instructions stored therein for performing the method of claim 1 (Atwal Page 2 paragraph [0017] and Page 14 paragraph [0155]).

54. Claim 18 is rejected as applied about in rejecting Claim 16. Furthermore, Atwal discloses determining a message type for the SOAP message, and looking up rules which are associated with the message type (Atwal Page 4 paragraph [0053] and Page 5 paragraph [0057 and 0059]).

55. Claim 19 is rejected as applied about in rejecting Claim 16. Furthermore, Atwal discloses wherein at least one portion of the SOAP message is in XML (Atwal Page 3 paragraph [0048]).

56. Claim 20 is rejected as applied about in rejecting Claim 16. Furthermore, Della discloses wherein the method further comprises: determining whether the SOAP message is encrypted before attempting to decrypt the SOAP message;

determining whether the SOAP message has been encrypted successfully;
and taking appropriate action when the determining determines that the SOAP message has not been encrypted successfully (Della Page 5 paragraph [0052 and 0053]).

57. Claim 7 is rejected as applied about in rejecting Claim 6. Furthermore, Della discloses the one or more decryption keys are managed by an organization or define an organization role (Della Page 2 paragraph [0029] and Page 3 paragraph [0035 and 0037]).

58. Claim 11 is rejected as applied about in rejecting Claim 6. Furthermore, Della discloses determining whether the SOAP message is encrypted successfully; and taking appropriate action when the determining determines that the SOAP message has not been encrypted successfully (Della Page 5 paragraph [0052 and 0053]).

59. Claim 9 is rejected as applied about in rejecting Claim 8. Furthermore, Della discloses wherein the one or more encryption keys are associated with an individual (Della Page 5 paragraph [0051 – 0054]).

60. Claim 10 is rejected as applied about in rejecting Claim 8. Furthermore, Della discloses determining whether the SOAP message is encrypted before attempting to decrypt the SOAP message (Della Page 5 paragraph [0051 – 0055]).

61. Claims 13 and 21 are rejected as applied about in rejecting Claims 12 and 16.

Furthermore, Atwal do not discloses the method further comprises: determining whether the at least one signature associated with the SOAP message has successfully been verified, and taking appropriate action when the determining determines that one or more of the at least one signature has not been successfully verified.

However, Della discloses delegating security credentials in a distributed security system wherein security credentials may be passed between components or services using the SOAP, wherein the method further comprises: determining whether the at least one signature associated with the SOAP message has successfully been verified, and taking appropriate action when the determining determines that one or more of the at least one signature has not been successfully verified (Della Page 5 paragraph [0051 – 0054]).

62. Motivation to combine the invention of Della with Atwal's teachings comes from the need for securing the transaction sent over computer networks by various clients. Atwal provides a discussion of the needed security but silent as to the specific details of the technical cryptography involved, (See Atwal Page 8 paragraph [0093]). It would be obvious to one of ordinary skill in the art to combine Della with Atwal because security through using encryption, decryption and digital signature security and confidentiality of SOAP messages may be achieved and Della provides the details of how to secure SOAP messages (See Della Page 5 paragraph [0051 – 0056] and Page 6 paragraph [0058 and 0059]).

63. Claim 36 is rejected as applied about in rejecting Claim 7. Furthermore, Atwal discloses wherein the remedial action includes notifying an administrator, holding the SOAP message, making a log entry, invoking a programming object, and sending an additional SOAP message (Page 7 paragraph [0084 and 0085] and Page 12 paragraph [0128]).

Conclusion

64. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See PTO Form 892.

65. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pramila Parthasarathy whose telephone number is 571-272-3866. The examiner can normally be reached on Tuesday – Thursday 8:00a.m. To 3:00p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 571-232-3795. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR only. For more information about the PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Pramila Parthasarathy
March 22, 2005.


AYAZ SHEIKH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100